


Just what your workgroup needs: Simplicity.



SCX-4835FR SCX-5639FR SCX-5739FW Mono Laser MFPs



Samsung SCX-4835FR/5639FR/5739FW Mono Laser Multifunction Printers



The business world is an ever-evolving one. And companies today are taking a long, hard look at how to simplify, drive productivity, save money and be environmentally responsible in the workplace.

The Samsung SCX-4835FR/SCX-5639FR/SCX-5739FW mono laser multifunction printers have been designed to do precisely that. With speeds up to 37 ppm, an array of productivity-enhancing features, and extra-high yield toner cartridges, everything about these intelligently designed devices is engineered to make your workday simpler. They're the ultimate workgroup MFPs for businesses looking to reduce costs, increase productivity and improve workflow, more productively and more efficiently. It's that simple.

Unrivaled simplicity.

Simplicity brings many benefits. Like giving you the freedom and peace of mind to concentrate on your business. The Samsung SCX-4835FR/5639FR/5739FW multi-function printers are designed for intuitive operation and exceptional ease of use. Go ahead, you do your job. We'll do ours.



Work Intuitively

When you're in a hurry, Samsung won't slow you down. The SCX-4835FR and SCX-5639FR feature a four-line LCD that lets you negotiate functions intuitively. And the SCX-5739FW makes it even easier with a big, beautiful 4.3" touch screen LCD.



Nothing Can Stop You Now

Samsung's Anti-Jam Technology means a smoother, uninterrupted workflow. Our anti-jam roller is specifically engineered to minimize misfeeds and paper jams.



Wireless in a Single Touch

Samsung MFPs connect easily with Hi-Speed USB 2.0 and 10/100/1000 Base TX Ethernet. The SCX-5739FW is even simpler, with one-touch connection to WiFi. Just press the Wi-Fi Protected Setup button on the control panel and it's done.



Easy Sharing, Easy Printing

Document Box (SCX-5639FR/5739FW) facilitates easy sharing and printing. With up to 4GB of internal storage space (SCX-5739FW), documents can be saved from your server, email, fax and printer, then quickly emailed, faxed or printed at the touch of a button.

Software that simplifies.



Samsung SyncThru Web Service Uses a web interface to remotely manage your printer device, enabling you to check status information, customize settings and receive email alerts.



SyncThru Web Admin Provides proactive monitoring and remote management of your printer fleet through an easy-to-use dashboard. Remotely configure and update devices, keep track of supplies and create powerful analyses and reports.



Samsung SmarThru Office Creates, stores and edits scanned images, and delivers them directly to applications or folders on the user's PC.



Samsung Barcode Printing Integrates seamlessly into enterprise applications to improve efficiency of automatic data collection processes.



Samsung CounThru 2 Enables you to remotely monitor activity, as well as calculate and manage the costs of your entire printer network.

There's power in productivity.

Simple functionality. Versatile features. Impressive speed. They all add up to a new level of productivity. Innovatively designed to handle whatever comes your way, the Samsung SCX-4835FR/5639FR/5739FW MFPs deliver print, copy, scan and fax performance that boosts productivity.



High Speeds

Samsung is known for delivering market-leading technology. So you can rest assured that printing large documents with the Samsung SCX-4835FR/5639FR/5739FW MFPs will be a breeze. With a 600MHz dual-core processor and up to 768MB memory, expect fast productivity day in and day out.

Ready to Work

With an impressive duty cycle of up to 80,000 prints per month (SCX-5639FR/5739FW), you can be sure your Samsung MFP can easily handle everything you need it to. You'll be up and running in no time, too, with a First Page Out Time (FPOT) of just 6.5 seconds.

Built-In RADF

The built-in 50-sheet duplexing Reversible Automatic Document Feeder (RADF) enables you to scan both sides of a two-sided, multi-page document without having to stop and turn it over. Think of all the time you'll save. And you'll do it all with a resolution of up to 1200 dpi. Scanning has never been faster or easier.

Flexible Productivity

Samsung MFPs give you the power to print a wide range of documents in-house. Supporting a wide variety of media types, from specialty papers and envelopes to card stock up to 58 lbs., you can always count on impressive, professional results.

Save the planet. Save time.

If you can save the planet and increase efficiency at the same time, why wouldn't you? The intelligently designed Samsung SCX-4835FR/5639FR/5739FW MFPs make it easy. Our innovative technology makes things easier on both you and the environment.

Extra-High Yield Toner

Samsung SCX-5639FR/5739FW MFPs give you more for your money. Extra-high yield toner cartridges allow you to print large documents easily and economically. With each cartridge printing up to 10,000 pages, you achieve a lower cost per page and lower total cost of ownership. You also make fewer trips to the MFP to replace cartridges, saving time.





Eco Mode Button

Customize your settings to save even more, with built-in features like duplex, n-up and TonerSave mode, which reduces toner usage by up to 40% with just a touch of the Eco Mode button.

See Results with Result Simulator

With Samsung's unique Result Simulator, you can see exactly how much CO₂, electricity and paper you've saved with the setting you've selected. It's an easy way of seeing how you're helping the environment.

SCX-4835FR • SCX-5639FR • SCX-5739FW



SCX-5639FR shown

Make the most of your productivity.

Options and Consumables

Get the most out of your Samsung MFP by using genuine Samsung consumables and optional accessories. They're engineered to work precisely and efficiently with each other, to help you always look your best.



Part Number	Accessory
MLT-D205S	Standard Yield Toner: 2,000 Pages
MLT-D205L	High Yield Toner: 5,000 Pages
MLT-D205E	Extra-High Yield Toner: 10,000 Pages (SCX-5639FR/SCX-5739FW Only)
ML-S3712A	520-sheet Cassette Tray
ML-MEM150	128MB Memory Upgrade
ML-MEM160	256MB Memory Upgrade
ML-MEM170	512MB Memory Upgrade

Specifications	SCX-4835FR	SCX-5639FR	SCX-5739FW
Overview			
Function	4-in-1	4-in-1	4-in-1
Value Added Function	Eco Button	Eco Button	Eco Button & UPS Button
Print			
Speed Mono*	Up to 33 ppm in letter	Up to 37 ppm in letter	Up to 37 ppm in letter
Resolution First Print Out Time	Up to 1,200 x 1,200 dpi effective output As fast as 6.5 sec.	Up to 1,200 x 1,200 dpi effective output As fast as 6.5 sec.	Up to 1,200 x 1,200 dpi effective output As fast as 6.5 sec.
Emulation	PCL5e/6, PS3, Epson/IBM Pro, PDF, TIFF	PCL5e/6, PS3, XPS, Epson/IBM Pro, PDF, TIFF	PCL5e/6, PS3, XPS, Epson/IBM Pro, PDF, TIFF
Duplex Print	Built-in	Built-in	Built-in
Сору			
Speed	Up to 33 ppm in letter	Up to 37 ppm in letter	Up to 37 ppm in letter
Resolution	Up to 1,200 x 1,200 dpi effective output	Up to 1,200 x 1,200 dpi effective output	Up to 1,200 x 1,200 dpi effective output
First Print Out Time	As fast as 12 sec.	As fast as 10 sec.	As fast as 10 sec.
Zoom Rate	25-400% (Platen), 25-100% (ADF)	25-400% (Platen), 25-100% (ADF)	25-400% (Platen), 25-100% (ADF)
Multi Copy	1-99 pages	1-99 pages	1-99 pages
Duplex Copy	Standard (1:1, 1:2, 2:1, 2:2)	Standard (1:1, 1:2, 2:1, 2:2)	Standard (1:1, 1:2, 2:1, 2:2)
Copy Features	ID Copy, 2-up, 4-up, Poster Copy, Clone Copy, Collation Copy, Auto-fit	ID Copy, 2-up, 4-up, Poster Copy, Clone Copy, Collation Copy, Auto-fit	ID Copy, 2-up, 4-up, Poster Copy, Clone Copy, Collation Copy, Auto-fit
Scan			
Scan Speed	24 ipm		
Scan Size Document	Platen: 8.5"-11.69", ADF: 5.6"-8.5", 5.8"-14"	Platen: 8.5"-11.69", ADF: 5.6"-8.5", 5.8"-14" TWAIN Standard, WIA Standard	Platen: 8.5"-11.69", ADF: 5.6"-8.5", 5.8"-14"
Compatibility Method	TWAIN Standard, WIA Standard Color CIS	Color CIS	TWAIN Standard, WIA Standard Color CIS
Resolution (Optical)	1200 x 1200 dpi	1200 x 1200 dpi	1200 x 1200 dpi
Resolution (Enhanced)	Up to 4,800 x 4,800 dpi	Up to 4,800 x 4,800 dpi	Up to 4.800 x 4.800 dpi
Scan to	PC, Email, USB Memory, FTP, SMB	PC, Email, USB Memory, FTP, SMB, Interal Flash Drive	PC, Email, USB Memory, FTP, SMB, Interal Flash Drive
Fax	· · · · · · · · · · · · · · · · · · ·	· • • • • • • • • • • • • • • • • • • •	· • • • • • • • • • • • • • • • • • • •
Compatibility	ITU-T G3	ITU-T G3	ITU-T G3
Modem Speed	33.6Kbps	33.6Kbps	33.6Kbps
Resolution	Standard: 203 x 98 dpi, Fine/Photo: 203 x 196 dp, Super Fine: 300 x	Standard: 203 x 98 dpi, Fine/Photo: 203 x 196 dp, Super Fine: 300 x	Standard: 203 x 98 dpi, Fine/Photo: 203 x 196 dp, Super Fine: 300 x
	300 dpi, Color: Up to 200 x 200 dpi	300 dpi, Color: Up to 200 x 200 dpi	300 dpi, Color: Up to 200 x 200 dpi
Memory Auto Dial	5MB (Max 445 Pages) Speed dial : 200 Locations	50MB (Max 4,000 Pages) Speed dial : 200 Locations	50MB (Max 4,000 Pages) Speed dial : 200 Locations
Auto Diai	On hook Dial, Auto Redial, Last Number Redial, Auto Reduction,	On hook Dial, Auto Redial, Last Number Redial, Auto Reduction,	On hook Dial, Auto Redial, Last Number Redial, Auto Reduction,
Fax Feature	Multi-send, Delayed Send, Fax Forwarding (Email/Fax), Broadcasting up to 209 locations	Multi-send, Delayed Send, Fax Forwarding (Email/Fax), Broadcasting up to 209 locations	Multi-send of Leave I dealer, East Ferning I email/Fax), Broadcasting up to 209 locations
Paper Handling			
Input Capacity	250-sheet Cassette, 50-sheet Multi-Purpose Tray	250-sheet Cassette, 50-sheet Multi-Purpose Tray	250-sheet Cassette, 50-sheet Multi-Purpose Tray
Output Capacity	150-sheet Face Down, 1-sheet Face Up	150-sheet Face Down, 1-sheet Face Up	150-sheet Face Down, 1-sheet Face Up
Media Sizes	3" x 5"-8.5" x 14" Plain, Thin, Thick, Thicker, Cotton, Colored, Envelope, Transparency,	3" x 5"-8.5" x 14" Plain, Thin, Thick, Thicker, Cotton, Colored, Envelope, Transparency,	3" x 5"-8.5" x 14" Plain, Thin, Thick, Thicker, Cotton, Colored, Envelope, Transparency,
Media Type	Pre-Printed, Recycled, Labels, Bond, Card stock, Archive	Pre-Printed, Recycled, Labels, Bond, Card stock, Archive	Pre-Printed, Recycled, Labels, Bond, Card stock, Archive
General			
Processor	Samsung 600 MHz	Samsung 600 MHz	Samsung 600 MHz
LCD	4 line Graphic LCD	4 line Graphic LCD	4.3" Color Touch-Screen LCD
Memory/Storage	256MB (Max 768MB)	256MB (Max 768MB)/2GB Internal Flash Drive	256MB (Max 768MB)/4GB Internal Flash Drive
OS Compatibility	Windows 2000/XP (32/64 bits)/Vista (32/64 bits)/2003 Server (32/64 bits)/2008 Server (32/64 bits)/7 (32/64 bits)/2008 Server R2 (64 bits), Various Linux OS: RedHat Enterprise Linux WS 4, 5 (32/64 bit) Fedora 5, 6, 7, 8, 9, 10, 11, 12, 13 (32/64 bit) SuSE Linux 10.1 (32 bit), OpenSuSE 10.2, 10.3, 11.0, 11.1, 11.2 (32/64 bit) Mardriva 2007, 2008, 2009, 2009.1, 2010 (32/64 bit), Ubuntu 6, 06, 6.10, 7.04, 7.10, 8.04, 8.10, 9.04, 9.10, 10.04 (32/64 bit) SuSE Linux Enterprise Desktop 10, 11 (32/64 bit) Debian 4.0, 5.0 (32/64 bit)	Windows 2000/XP (32/64 bits)/Vista (32/64 bits)/2003 Server (32/64 bits)/2003 Server (32/64 bits)/7 (32/64 bits)/2003 Server (32/64 bits)/7 (32/64 bits)/2003 Server (32/64 bits), Various Linux 0S: RedHat Enterprise Linux WS 4, 5 (32/64 bit) Server R2 (64 bits), Various Linux 10.1 (32 bit), 0penSuSE 10.2, 10.3, 11.1, 11.2, 11.2 (32/64 bit) Mandriva 2007, 2008, 2009, 2009.1, 2010 (32/64 bit), Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04, 8.10, 9.04, 9.10, 10.04 (32/64 bit) SuSE Linux Enterprise Desktop 10, 11 (32/64 bit) Debian 4.0, 5.0 (32/64 bit)	Windows 2000/XP (32/64 bits)/Vista (32/64 bits)/2003 Server (32/64 bits)/ bits)/2008 Server (32/64 bits)/7 (32/64 bits)/2008 Server R2 (64 bits), Various Linux OS: RedHat Enterprise Linux WS 4, 5 (32/64 bit) Fedora 5, 6, 7, 8, 9, 10, 11, 12, 13 (32/64 bit) SuSE Linux 10, 1 (32 bit), OpenSuSE 10.2, 10.3, 11.0, 11.1, 11.2, 23/64 bit) Mandriva 2007, 2008, 2009, 2009.1, 2010 (32/64 bit), Ubuntu 6,06, 6, 10, 7,04, 7,10, 8,04, 8,10, 9,04, 9,10, 10.04 (32/64 bit) SuSE Linux Enterprise Desktop 10, 11 (32/64 bit) Debian 4.0, 5.0 (32/64 bit)
Interface	Hi-Speed USB 2.0, Ethernet 10/100/1000 base TX	Hi-Speed USB 2.0, Ethernet 10/100/1000 base TX	Hi-Speed USB 2.0, Ethernet 10/100/1000 base TX, IEEE 802.11 b/g/n Wireless Network
Noise Level	Less than 52dBA (Printing) Less than 54 dBA (Copying) Less than 26 dBA (Standby)	Less than 53dBA (Printing) Less than 54 dBA (Copying) Less than 26 dBA (Standby)	Less than 53dBA (Printing) Less than 54 dBA (Copying) Less than 26 dBA (Standby)
Duty Cycle, Monthly	Up to 50,000 pages	Up to 80,000 pages	Up to 80,000 pages
Dimensions (W x D x H)	23.3" x 22.1" x 24.7"	23.3" x 22.1" x 24.7"	23.3" x 22.1" x 24.7"
Weight Power Consumption	36.5 lbs. 550W (Active)/50W (Ready)/8W (Sleep)	36.5 lbs. 600W (Active)/50W (Ready)/8W (Sleep)	36.5 lbs. 600W (Active)/65W (Ready)/10W (Sleep)
Consumables			ישטעייי (הטעייע הטעיע (הופמעי) ויטיייע (סופפא)
Yield Type Model Code	Standard: Average Cartridge Yield 2K standard pages. High Yield: Average Cartridge Yield 5K standard pages. (Ships with 2,000 pages Starter Toner Cartridge). Declared cartridge yield in accordance with ISO/IEC 19752. 1-Piece Cartridge MLT-D205S, MLT-D205L	Standard: Average Cartridge Yield 2K standard pages. High Yield: Average Cartridge Yield 5K standard pages. Extra High Yield: Average Cartridge Yield 10K standard pages. (Ships with 5,000 pages Starter Toner Cartridge). Declared cartridge yield in accordance with ISO/IEC 19752. 1-Piece Cartridge MLT-D205S, MLT-D205L, MLT-D205E	Standard: Average Cartridge Yield 2K standard pages. High Yield: Average Cartridge Yield 5K standard pages. Extra High Yield: Average Cartridge Yield 10K standard pages. (Ships with 5,000 pages Starter Toner Cartridge). Declared cartridge yield in accordance with ISO/IEC 19752. 1-Piece Cartridge MLT-D205S, MLT-D205L, MLT-D205E
Options			
Options	520-sheet Cassette Tray, Memory (512MB)	520-sheet Cassette Tray, Memory (512MB)	520-sheet Cassette Tray, Memory (512MB)
Green Management			
Green Management Green Management	Energy Star Compliant, S.T.A.R. Program (Samsung Toner Recycle Program)	Energy Star Compliant, S.T.A.R. Program (Samsung Toner Recycle Program)	Energy Star Compliant, S.T.A.R. Program (Samsung Toner Recycle Program)

*Print speed will be affected by operating system used, computing performance, application software, connection method, media type, media size and job complexity. **Copy speed is based on Single Document Multiple Copy. Preliminary specifications subject to change.

samsung.com/printer

Product Support: 1-866-SAM-4BIZ • 1-800-SAMSUNG



©2011 Samsung Electronics America, Inc. Samsung is a registered mark of Samsung Electronics Corp., Ltd. Specifications and designs are subject to change without notice. Non-metric weights and measurements are approximate. All brand, product, service names and logos are trademarks and/or registered trademarks of their respective manufacturers and companies. Simulated screen images. See samsung.com for detailed information. Printed in USA on 50% recycled (30% post-consumer waste) paper using soy inks. PNT-SCX4835FRSCX5739FW-APR11T

